

## iQ500, Built-in oven with added steam function, Stainless steel HR578G5S6B



Shorten your cooking time thanks to fast preheat, coolStart and activeClean. And remote your oven from anywhere with Home Connect.

- ✓ fast preheat: reach the required baking temperature sooner;
- ✓
- ✓ coolStart: no need to preheat the oven for deep frozen food.
- ✓ activeClean: the automatic system for effortless cleaning.
- ✓ The addedSteam function: for crispy crusts and juicy roasts.
- ✓ lightControl: intuitive operation thanks to the illuminated dial.
- ✓ Home Connect: access to your oven via smartphone or tablet.
- ✓ cookControl30: automatic programs ensure best results.
- ✓ roastingSensor: simply reliable roasting.
- ✓ 3D hotAir: perfect baking results on up to 3 shelves thanks to innovative heat distribution.

### Features

#### Technical Data

Color / Material Front : Stainless steel  
 Construction type : Built-in  
 Integrated Cleaning system : Pyrolytic  
 Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550  
 Dimensions of the product (mm) : 595 x 594 x 548  
 Dimensions of the packed product (HxWxD) (mm) : 660 x 690 x 660  
 Control Panel Material : Glass  
 Door Material : Glass  
 Net weight (kg) : 40.667  
 Usable volume of cavity (l) : 71  
 Cooking method : Conventional heat, Full width grill, Hot Air, Hot air grilling, Pizza setting  
 First cavity material : Other  
 Oven control : electronic  
 Number of interior lights : 1  
 Approval certificates : CE, VDE  
 Length of electrical supply cord (cm) : 120  
 EAN code : 4242003856178  
 Number of cavities (2010/30/EC) : 1  
 Energy efficiency class (2010/30/EC) : A  
 Energy consumption per cycle conventional (2010/30/EC) : 0.99  
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.81  
 Energy efficiency index (2010/30/EC) : 95.3  
 Connection rating (W) : 3600  
 Current (A) : 16  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60  
 Plug type : no plug

#### Included accessories

- 2 x combination grid
- 1 x universal pan

#### Optional accessories

- HZ915003 Glass roasting dish, 5,4 L
- HZ66X650 Cover Strip
- HZ638300 3 level telescopic rails, full ext
- HZ636000 Glass pan
- HZ634000 Baking and roasting grid (standard)
- HZ625071 Grill tray, anthracite enamelled
- HZ538000 varioClip rail
- HZ531010 Baking tray, non-stick ceramic coated
- HZ531000 Baking tray, grey enamelled
- HZ327000 Baking stone



## iQ500, Built-in oven with added steam function, Stainless steel HR578G5S6B

### Features

#### Design

- LCD Display (White)
- White display with blue indicator lights
- lightControl: intuitive operation thanks to the illuminated dials
- Cavity inner surface: Enamel grey
- softMove: gentle opening and closing of the oven door.
- Drop down oven door, softClose, softOpen
- Bar handle

#### Features

- Digital temperature display with proposal
- Heating-up indicator
- Sabbath setting
- Electronic door lock
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Door contact switch
- WLAN - Home connect enabled
- Automatic programmes
- cookControl30
- Single-point meat probe
- Electronic oven clock timer
- 1 interior light, 1 interior halogen light
- Smooth enamelled oven interior
- 5 shelf positions in oven
- Integral cooling fan

#### Cleaning

- activeClean
- Full glass inner door

#### Programmes/functions

- 8 heating methods: 3D hot air, conventional top & bottom heating, hot air grilling, full width grill, Pizza setting, coolStart, Hotair gentle
- Additional heating methods with steam: reheating
- Additional functions:
- Descaling programme
- Fast preheat

#### Standard accessories

- 2 x combination grid, 1 x universal pan
- 1 varioClip rail, Stop function


#### Technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 95.3
- Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
- Number of cavities: 1
- Cavity volume: 71 litres
- 0.2 l Water tank capacity:
- Temperature range 30 °C - 275 °C
- Location of the steam generator is outside of the cavity
- Total connected load electric: 3.6 KW
- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Min. fuse protection: 16 A
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm

- Niche dimension (hxwxd): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

**iQ500, Built-in oven with added steam function, Stainless steel  
HR578G5S6B**

Dimensioned drawings



Installation with a hob.

