




Thank you for choosing Better Bathrooms.  
Please read this manual before installing your product  
and keep for future reference.

**better  
bathrooms**

## BACK LIT FULL-LENGTH MIRROR




ELOD1800

- TOUCH SENSOR CONTROL
- LED LIGHT
- IP44 INGRESS PROTECTION

## **SAFETY**

- The fitting should be installed by a qualified electrician.
- This fitting is only suitable for connection to a 220V~50Hz earthed supply in accordance with current IEE wiring regulations, and should be installed in accordance with local Building Regulations.
- This is for domestic, indoor use only.
- The fitting should be connected to a dedicated lighting circuit which must be protected by a 5-amp fuse (or a 6-amp miniature circuit breaker).
- Before installing the fitting ensure the mains supply is switched off, and that the appropriate fuse is removed (or appropriate circuit breaker is switched off) before commencing installation. Ensure that measures are taken to prevent the supply from being inadvertently reconnected.
- If there is a “Minimum Distance” Label, please do not allow Flammable Materials to rest within that distance from the lamps.
- This product may contain delicate parts – be careful during handling and maintenance to avoid breakage.
- If any modification is made to the fitting it will invalidate the warranty and may render the product unsafe.
- A defective appliance may cause electric shock. Never switch on a defective appliance. Unplug the appliance from the mains or switch off at the circuit breaker in the fuse box before seeking assistance.
- This product is IP44 rated, and so no part of the installation is allowed to be within bathroom Zones 0,1. Installation is permitted within Zone 2.
- This product must be earthed.

## BATHROOM ZONES




<b>Zone 0:</b>	The interior of the bathtub or shower basin.
<b>Zone 1:</b>	The area around the bathtub or shower basin up to a height of 2.25m above the floor
<b>Zone 2:</b>	The area stretching to 0.6m outside the bath or shower and above the bath or shower if over 2.25m

## PARTS LIST




SCREW x5



D6 WALL PLUG x5

## TOOLS NEEDED FOR INSTALLATION



TAPE  
MEASURE



ELECTRIC  
DRILL



FLAT HEAD  
SCREWDRIVER



SPIRIT  
LEVEL



HAMMER



8MM  
DRILL BIT



PENCIL

## INSTALLATION

**IMPORTANT:** Before commencing installation, ensure that there are no pipes or wires located behind the wall that you will be drilling into.

- Ensure that the hanging location has been decided upon and marked clearly to avoid unwanted damage in the wall due to incorrect positioning.
- Check there the mirror is not damaged prior to installation.
- Take care unpacking, do not use a sharp blade to open as this may damage the mirror and void your warranty.


The mirror is supplied with two hanging bar to mount the mirror onto the wall. At the back of the mirror there are corresponding bars which are designed to slot onto the hanging bars. To hang the mirror, 5 holes are required in the wall.

Before drilling, ensure that no wires or pipes are behind the wall. If unsure, seek professional advice.

1. Choose the desired position of the mirror and from that determine the required position of the hanging bar.
2. Hold the hanging bar-1 in position using a spirit level to ensure it is level.
3. Use a pencil to mark the position of the 3 holes on the wall.



4. Place the hanging bar to one side and drill the holes with a suitable drill bit.
5. Insert wall plugs into the holes ensuring they are flush to the wall.
6. Place the hanging bar onto the wall lining up the 3 holes with the wall plugs.
7. On the back of the mirror, measure the distance  $a$  from the center of the bar-1 to the bar-2.




8. Make a note of the distance and mark the position of the 2 holes on the wall according to the distance  $a$ .
9. Place the hanging bar-2 to one side and drill the holes with a suitable drill bit.
10. Insert wall plugs into the holes ensuring they are flush to the wall.

11. Place the hanging bar-2 onto the wall lining up the 2 holes with the wall plugs
12. You will now be able to hang the mirror. Carefully lower the mirror onto the hanging bars,ensuring that it is secure and will not slide.
13. The mirror should now be connected to a suitable fused spur following current regulations and guidance.We would advise for this to be situated directly behind the mirror below the hanging bar When connecting ensure that enough cable is left to allow the mirror to be safely removed from the hanging bar.
14. In installation, ensure that the infra-red sensor will be easily accessible and that at least 20cm space is left around the sensor to ensure correct operation.

## **OPERATION**

When the mirror is connected and hung securely onto the wall, turn the mains power back on and the mirror will be ready to use.

To operate, use the touch button on the front of the mirror,it is located at the middle right hand side. Touch the button gently to turn on, and press again to switch off.



Hold the button to change the colour temperature from Warm White to Cool White.

## TECHNICAL SPECIFICATION

Model	ELOD1800
WxHxD (mm)	500x1800x30
Net Weight (Kg)	12.6
Power Cord Length (cm)	100
Rated Power	65 W
IP Rating	IP44
Input	220 V - 240 V 50 Hz

This product contains a light source of energy efficiency class <F>.

## DISPOSAL



Recycling facilities are now available for all customers at which you can deposit your old electrical products. Customers will be able to take any old electrical equipment to participating sites run by their local councils.

Please remember that this equipment will be further handled during the recycling process, so please be considerate when depositing your equipment. Please contact the local council for details of your local household waste recycling centers.

At the time of printing the product contains no substances listed within Annex XIV of the Reach Regulations (EC) 1907/2006. In accordance with Article 59 of the same regulation the following substances are contained within the product at permitted levels: Cadmium.

As a responsible manufacturer the regulations are monitored to ensure continued compliance. Further information can be provided upon request.

### **For more information**

- visit [betterbathrooms.com](http://betterbathrooms.com)
- email [customerservices@buyitdirect.co.uk](mailto:customerservices@buyitdirect.co.uk)
- call 0330 390 3062
- write to Trident Business Park, Neptune Way, Huddersfield, HD2 1UA

**better  
bathrooms**

Part of the BuyItDirect Group