

DECLARATION OF PERFORMANCE

No: AHS4-600-DGCF-DOP-2024-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS4-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 270 W Φ30 = 138 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1,5780 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS4-600-BCF-DOP-2024-02

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS4-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 270 \text{ W}$ $\Phi 30 = 138 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1,5780 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS4-600-WCF-DOP-2024-03

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS4-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 270 \text{ W}$ $\Phi 30 = 138 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1,5780 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS6-600-DGCF-DOP-2024-04

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS6-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 405 W Φ30 = 207 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2,3670 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS6-600-BCF-DOP-2024-05

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS6-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 405 \text{ W}$ $\Phi 30 = 207 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2,3670 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS6-600-WCF-DOP-2024-06

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS6-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 405 W Φ30 = 207 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2,3670 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS8-600-DGCF-DOP-2024-07

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS8-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 540 W Φ30 = 276 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 3,1560x ΔT ^{1.3145}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS8-600-BCF-DOP-2024-08

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS8-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 540 W Φ30 = 276 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 3,1560x ΔT ^{1.3145}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS8-600-WCF-DOP-2024-09

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS8-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 540 W Φ30 = 276 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 3,1560x ΔT ^{1.3145}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS10-600-DGCF-DOP-2024-10

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS10-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 675 \text{ W}$ $\Phi 30 = 345 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9450 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS10-600-BCF-DOP-2024-11

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS10-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 675 W Φ30 = 345 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9450 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS10-600-WCF-DOP-2024-12

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS10-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 675 \text{ W}$ $\Phi 30 = 345 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9450 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHS10-600-DGCF-DOP-2024-13

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHS10-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 675 \text{ W}$ $\Phi 30 = 345 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9450 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHS10-600-BCF-DOP-2024-14

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHS10-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 675 \text{ W}$ $\Phi 30 = 345 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9450 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHS10-600-WCF-DOP-2024-15

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHS10-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 675 W Φ30 = 345 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9450 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS13-600-DGCF-DOP-2024-16

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS13-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 877 W Φ30 = 448 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,1285 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS13-600-BCF-DOP-2024-17

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS13-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 877 \text{ W}$ $\Phi 30 = 448 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,1285 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS13-600-WCF-DOP-2024-18

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS13-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 877 \text{ W}$ $\Phi 30 = 448 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,1285 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHS13-600-DGCF-DOP-2024-19

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHS13-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 877 W Φ30 = 448 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,1285 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHS13-600-BCF-DOP-2024-20

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHS13-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 877 \text{ W}$ $\Phi 30 = 448 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,1285 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHS13-600-WCF-DOP-2024-21

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHS13-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 877 \text{ W}$ $\Phi 30 = 448 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,1285 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS16-600-DGCF-DOP-2024-22

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS16-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1080 \text{ W}$ $\Phi 30 = 552 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,3119 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS16-600-BCF-DOP-2024-23

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS16-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1080 \text{ W}$ $\Phi 30 = 552 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,3119 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS16-600-WCF-DOP-2024-24

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS16-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1080 W Φ30 = 552 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,3119 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS19-600-DGCF-DOP-2024-25

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS19-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1282 \text{ W}$ $\Phi 30 = 655 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7,4954 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS19-600-BCF-DOP-2024-26

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS19-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1282 \text{ W}$ $\Phi 30 = 655 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7,4954 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS19-600-WCF-DOP-2024-27

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS19-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1282 \text{ W}$ $\Phi 30 = 655 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7,4954 \times \Delta T^{1.3145}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS4-1600-DGCF-DOP-2024-28

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS4-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 597 \text{ W}$ $\Phi 30 = 301 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,1545 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS4-1600-BCF-DOP-2024-29

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS4-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 597 \text{ W}$ $\Phi 30 = 301 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,1545 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS4-1600-WCF-DOP-2024-30

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS4-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 597 \text{ W}$ $\Phi 30 = 301 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,1545 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS4-1600-DGCF-DOP-2024-31

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS4-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 597 W Φ30 = 301 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,1545 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS4-1600-BCF-DOP-2024-32

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS4-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 597 W Φ30 = 301 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,1545 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS4-1600-WCF-DOP-2024-33

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS4-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 597 \text{ W}$ $\Phi 30 = 301 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,1545 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS5-1600-DGCF-DOP-2024-34

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS5-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 747 \text{ W}$ $\Phi 30 = 376 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9432x \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS5-1600-BCF-DOP-2024-35

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS5-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 747 \text{ W}$ $\Phi 30 = 376 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9432x \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS5-1600-WCF-DOP-2024-36

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS5-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 747 \text{ W}$ $\Phi 30 = 376 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9432x \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS5-1600-DGCF-DOP-2024-37

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS5-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 747 \text{ W}$ $\Phi 30 = 376 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9432x \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS5-1600-BCF-DOP-2024-38

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS5-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 747 \text{ W}$ $\Phi 30 = 376 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9432x \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS5-1600-WCF-DOP-2024-39

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS5-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 747 \text{ W}$ $\Phi 30 = 376 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9432x \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS6-1600-DGCF-DOP-2024-40

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS6-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 896 \text{ W}$ $\Phi 30 = 503 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,7318 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS6-1600-BCF-DOP-2024-41

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS6-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 896 \text{ W}$ $\Phi 30 = 503 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,7318 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS6-1600-WCF-DOP-2024-42

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS6-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 896 W Φ30 = 503 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,7318 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS7-1600-DGCF-DOP-2024-43

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS7-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1045 \text{ W}$ $\Phi 30 = 527 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,5204 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS7-1600-BCF-DOP-2024-44

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS7-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1045 \text{ W}$ $\Phi 30 = 527 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,5204 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS7-1600-WCF-DOP-2024-45

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS7-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1045 \text{ W}$ $\Phi 30 = 527 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,5204 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS8-1600-DGCF-DOP-2024-46

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS8-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1194 \text{ W}$ $\Phi 30 = 602 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,3091 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS8-1600-BCF-DOP-2024-47

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS8-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1194 \text{ W}$ $\Phi 30 = 602 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,3091 \times \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS8-1600-WCF-DOP-2024-48

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS8-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1194 W Φ30 = 602 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,3091x \Delta T^{1.3403}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS4-1800-DGCF-DOP-2024-49

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS4-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 662 W Φ30 = 333 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 3,4282x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS4-1800-BCF-DOP-2024-50

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS4-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 662 \text{ W}$ $\Phi 30 = 333 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,4282x$ $\Delta T^{1.3454999999999999}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS4-1800-WCF-DOP-2024-51

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS4-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 662 \text{ W}$ $\Phi 30 = 333 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,4282x$ $\Delta T^{1.3454999999999999}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS4-1800-DGCF-DOP-2024-52

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS4-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 662 W Φ30 = 333 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 3,4282x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS4-1800-BCF-DOP-2024-53

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS4-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 662 \text{ W}$ $\Phi 30 = 333 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,4282x$ $\Delta T^{1.3454999999999999}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS4-1800-WCF-DOP-2024-54

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS4-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 662 W Φ30 = 333 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 3,4282x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS5-1800-DGCF-DOP-2024-55

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS5-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 828 W Φ30 = 416 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 4,2852x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS5-1800-BCF-DOP-2024-56

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS5-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 828 \text{ W}$ $\Phi 30 = 416 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,2852x$ $\Delta T^{1.3454999999999999}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS5-1800-WCF-DOP-2024-57

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS5-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 828 W Φ30 = 416 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 4,2852x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS5-1800-DGCF-DOP-2024-58

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS5-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 828 W Φ30 = 416 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 4,2852x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS5-1800-BCF-DOP-2024-59

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS5-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 828 W Φ30 = 416 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 4,2852x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACVS5-1800-WCF-DOP-2024-60

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACVS5-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 828 W Φ30 = 416 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 4,2852x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS6-1800-DGCF-DOP-2024-61

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS6-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 993 W Φ30 = 500 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 5,1422x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS6-1800-BCF-DOP-2024-62

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS6-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 993 W Φ30 = 500 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 5,1422x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS6-1800-WCF-DOP-2024-63

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS6-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 993 W Φ30 = 500 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 5,1422x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS7-1800-DGCF-DOP-2024-64

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS7-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1159 \text{ W}$ $\Phi 30 = 583 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,9993x$ $\Delta T^{1.3454999999999999}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS7-1800-BCF-DOP-2024-65

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS7-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1159 W Φ30 = 583 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 5,9993x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS7-1800-WCF-DOP-2024-66

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS7-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1159 \text{ W}$ $\Phi 30 = 583 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,9993x$ $\Delta T^{1.3454999999999999}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS8-1800-DGCF-DOP-2024-67

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS8-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1325 W Φ30 = 666 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 6,8563x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS8-1800-BCF-DOP-2024-68

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS8-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1325 W Φ30 = 666 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 6,8563x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS8-1800-WCF-DOP-2024-69

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS8-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-002-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1325 W Φ30 = 666 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 6,8563x ΔT ^{1.3454999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD4-600-DGCF-DOP-2024-70

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD4-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 359 \text{ W}$ $\Phi 30 = 176 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1,5641 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD4-600-BCF-DOP-2024-71

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD4-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 359 \text{ W}$ $\Phi_{30} = 176 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1,5641 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD4-600-WCF-DOP-2024-72

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD4-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 359 \text{ W}$ $\Phi_{30} = 176 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1,5641 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD6-600-DGCF-DOP-2024-73

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD6-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 538 \text{ W}$ $\Phi_{30} = 264 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2,3462x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD6-600-BCF-DOP-2024-74

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD6-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 538 \text{ W}$ $\Phi_{30} = 264 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2,3462x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD6-600-WCF-DOP-2024-75

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD6-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 538 \text{ W}$ $\Phi_{30} = 264 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2,3462x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD8-600-DGCF-DOP-2024-76

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD8-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 717 \text{ W}$ $\Phi 30 = 353 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,1283x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD8-600-BCF-DOP-2024-77

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD8-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 717 \text{ W}$ $\Phi_{30} = 353 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,1283x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD8-600-WCF-DOP-2024-78

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD8-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 717 \text{ W}$ $\Phi 30 = 353 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,1283x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD10-600-DGCF-DOP-2024-79

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD10-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 896 \text{ W}$ $\Phi_{30} = 441 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9103x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD10-600-BCF-DOP-2024-80

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD10-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 896 \text{ W}$ $\Phi_{30} = 441 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9103x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD10-600-WCF-DOP-2024-81

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD10-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 896 \text{ W}$ $\Phi_{30} = 441 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9103x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHD10-600-DGCF-DOP-2024-82

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHD10-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 896 \text{ W}$ $\Phi_{30} = 441 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9103x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHD10-600-BCF-DOP-2024-83

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHD10-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 896 \text{ W}$ $\Phi_{30} = 441 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9103x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHD10-600-WCF-DOP-2024-84

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHD10-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 896 \text{ W}$ $\Phi_{30} = 441 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3,9103x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD13-600-DGCF-DOP-2024-85

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD13-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1165 \text{ W}$ $\Phi_{30} = 573 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,0834 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD13-600-BCF-DOP-2024-86

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD13-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1165 \text{ W}$ $\Phi 30 = 573 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,0834 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD13-600-WCF-DOP-2024-87

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD13-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1165 \text{ W}$ $\Phi 30 = 573 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,0834 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHD13-600-DGCF-DOP-2024-88

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHD13-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1165 \text{ W}$ $\Phi 30 = 573 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,0834 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHD13-600-BCF-DOP-2024-89

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHD13-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1165 \text{ W}$ $\Phi 30 = 573 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,0834 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: ACHD13-600-WCF-DOP-2024-90

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ACHD13-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1165 \text{ W}$ $\Phi_{30} = 573 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,0834 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD16-600-DGCF-DOP-2024-91

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD16-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1434 \text{ W}$ $\Phi 30 = 705 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,2566x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD16-600-BCF-DOP-2024-92

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD16-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1434 \text{ W}$ $\Phi 30 = 705 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,2566x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD16-600-WCF-DOP-2024-93

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD16-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1434 \text{ W}$ $\Phi 30 = 705 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,2566x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD19-600-DGCF-DOP-2024-94

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD19-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1703 \text{ W}$ $\Phi_{30} = 838 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7,4297 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD19-600-BCF-DOP-2024-95

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD19-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1703 \text{ W}$ $\Phi 30 = 838 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7,4297 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHD19-600-WCF-DOP-2024-96

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHD19-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1703 \text{ W}$ $\Phi_{30} = 838 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7,4297 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD4-1600-DGCF-DOP-2024-97

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD4-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 792 \text{ W}$ $\Phi 30 = 398 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,1001 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD4-1600-BCF-DOP-2024-98

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD4-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 792 \text{ W}$ $\Phi 30 = 398 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,1001 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD4-1600-WCF-DOP-2024-99

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD4-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 792 \text{ W}$ $\Phi 30 = 398 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,1001 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD5-1600-DGCF-DOP-2024-100

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD5-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 989 \text{ W}$ $\Phi_{30} = 498 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,1251 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD5-1600-BCF-DOP-2024-101

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD5-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 989 \text{ W}$ $\Phi_{30} = 498 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,1251 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD5-1600-WCF-DOP-2024-102

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD5-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 989 \text{ W}$ $\Phi_{30} = 498 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,1251 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD6-1600-DGCF-DOP-2024-103

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD6-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1187 \text{ W}$ $\Phi 30 = 597 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,150 \text{ lx } \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD6-1600-BCF-DOP-2024-104

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD6-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1187 \text{ W}$ $\Phi 30 = 597 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,150 \text{ lx } \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD6-1600-WCF-DOP-2024-105

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD6-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1187 \text{ W}$ $\Phi 30 = 597 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,150 \text{ lx } \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD7-1600-DGCF-DOP-2024-106

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD7-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1385 \text{ W}$ $\Phi 30 = 697 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7,1751 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD7-1600-BCF-DOP-2024-107

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD7-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1385 \text{ W}$ $\Phi 30 = 697 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7,1751 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD7-1600-WCF-DOP-2024-108

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD7-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1385 \text{ W}$ $\Phi 30 = 697 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7,1751 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD8-1600-DGCF-DOP-2024-109

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD8-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1583 \text{ W}$ $\Phi 30 = 796 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8,2001 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD8-1600-BCF-DOP-2024-110

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD8-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1583 \text{ W}$ $\Phi 30 = 796 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8,2001 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD8-1600-WCF-DOP-2024-111

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD8-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1583 W Φ30 = 796 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8,2001 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD4-1800-DGCF-DOP-2024-112

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD4-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 859 \text{ W}$ $\Phi 30 = 434 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,6031 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD4-1800-BCF-DOP-2024-113

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD4-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 859 \text{ W}$ $\Phi 30 = 434 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,6031 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD4-1800-WCF-DOP-2024-114

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD4-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 859 \text{ W}$ $\Phi 30 = 434 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4,6031 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD5-1800-DGCF-DOP-2024-115

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD5-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1073 \text{ W}$ $\Phi_{30} = 542 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,7539x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD5-1800-BCF-DOP-2024-116

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD5-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1073 \text{ W}$ $\Phi 30 = 542 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,7539x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD5-1800-WCF-DOP-2024-117

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD5-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1073 \text{ W}$ $\Phi_{30} = 542 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5,7539x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD6-1800-DGCF-DOP-2024-118

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD6-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1288 \text{ W}$ $\Phi 30 = 651 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,9046x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD6-1800-BCF-DOP-2024-119

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD6-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1288 \text{ W}$ $\Phi 30 = 651 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,9046x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD6-1800-WCF-DOP-2024-120

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD6-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1288 \text{ W}$ $\Phi_{30} = 651 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6,9046x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD7-1800-DGCF-DOP-2024-121

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD7-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1503 \text{ W}$ $\Phi 30 = 759 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8,0554x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD7-1800-BCF-DOP-2024-122

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD7-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1503 \text{ W}$ $\Phi 30 = 759 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8,0554 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD7-1800-WCF-DOP-2024-123

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD7-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1503 \text{ W}$ $\Phi 30 = 759 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8,0554x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD8-1800-DGCF-DOP-2024-124

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD8-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1717 \text{ W}$ $\Phi_{30} = 868 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9,2062x \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD8-1800-BCF-DOP-2024-125

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD8-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1717 \text{ W}$ $\Phi 30 = 868 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9,2062 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVD8-1800-WCF-DOP-2024-126

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVD8-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-003-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1717 \text{ W}$ $\Phi 30 = 868 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9,2062 \times \Delta T^0$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS8-600-DGCZ-DOP-2024-127

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS8-600-DGCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 896 W Φ30 = 465 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 5.865x ΔT ^{1.2855000000000001}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS8-600-BCZ-DOP-2024-128

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS8-600-BCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 896 W Φ30 = 465 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 5.865x ΔT ^{1.2855000000000001}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS8-600-WCZ-DOP-2024-129

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS8-600-WCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 896 W Φ30 = 465 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 5.865x ΔT ^{1.2855000000000001}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS10-600-DGCZ-DOP-2024-130

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS10-600-DGCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1120 W Φ30 = 581 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 7.3315x ΔT ^{1.2855000000000001}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS10-600-BCZ-DOP-2024-131

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS10-600-BCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1120 \text{ W}$ $\Phi 30 = 581 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.3315x$ $\Delta T^{1.2855000000000001}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AHS10-600-WCZ-DOP-2024-132

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AHS10-600-WCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1120 \text{ W}$ $\Phi 30 = 581 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.3315x$ $\Delta T^{1.2855000000000001}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS4-1800-DGCZ-DOP-2024-133

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS4-1800-DGCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 881 \text{ W}$ $\Phi 30 = 438 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.1745x$ $\Delta T^{1.3682000000000001}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS4-1800-BCZ-DOP-2024-134

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS4-1800-BCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 881 \text{ W}$ $\Phi 30 = 438 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.1745x$ $\Delta T^{1.3682000000000001}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS4-1800-WCZ-DOP-2024-135

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS4-1800-WCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 881 \text{ W}$ $\Phi 30 = 438 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.1745x$ $\Delta T^{1.3682000000000001}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS6-1800-DGCZ-DOP-2024-136

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS6-1800-DGCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1322 \text{ W}$ $\Phi 30 = 657 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.2609x$ $\Delta T^{1.3682000000000001}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS6-1800-BCZ-DOP-2024-137

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS6-1800-BCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1322 \text{ W}$ $\Phi 30 = 657 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.2609x$ $\Delta T^{1.3682000000000001}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVS6-1800-WCZ-DOP-2024-138

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVS6-1800-WCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-004-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi 50 = 1322 \text{ W}$ $\Phi 30 = 657 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.2609x$ $\Delta T^{1.3682000000000001}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVSM4-1800-DGCZ-DOP-2024-139

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVSM4-1800-DGCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:


2693-CPR-005-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 993 W Φ30 = 511 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.0712x ΔT^1.3029999999999999	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVSM4-1800-BCZ-DOP-2024-140

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVSM4-1800-BCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-005-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 993 W Φ30 = 511 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 6.0712x ΔT ^{1.3029999999999999}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England

DECLARATION OF PERFORMANCE

No: AVSM4-1800-WCZ-DOP-2024-141

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

AVSM4-1800-WCZ

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:


2693-CPR-005-2025

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 993 W Φ30 = 511 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.0712x ΔT^1.3029999999999999	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
12th February 2025
Huddersfield, England